

Choose the right floor pad for the job.

Maintenance Operation	Equipment Speed		First Choice		Alternate Choices	oices	
Stripping To remove finish, sealer and contaminants from the floor surface.	Rotary or Automatic Low Speed 175–600 RPM		3M" High Productivity Pad 7300 Our most aggressive stripping pad. Unique open construction resists loading and clogging. For fast removal of finish and proven consistent stripping.		3M" Black Stripper Pad 7200 Standard of the industry. Consistent proven performance. Long pad life.		3M TM Brown Stripper Pad Conformable stripping pad for floors. Super heavy-duty scrubl 2-4 coat removal.
Scrubbing To provide a fresh new surface for finishing.	Rotary or Automatic Low Speed 175–600 RPM		Scotch-Brite™ Surface Preparation Pad Plus Long-lasting, high performance scrubbing pad for top coat removal prior to recoating.	Track of the state	Scotch-Brite [™] Surface Preparation Pad Heavy-duty scrubbing for top coat removal prior to recoating.		3M™ Blue Cleaner Pad 53 Heavy-duty scrubbing of floors
Cleaning To remove light soil and other contaminants.	Rotary or Automatic Low Speed 175–600 RPM	Scoots Briefs Clearl & Stine	Scotch-Brite™ Clean & Shine Pad 2-in-1 daily cleaning pad for low-speed scrubbers that gradually increases shine with repeated use.		3M" TopLine Autoscrubber Pad 5000 Scrubs and cleans. Open construction resists clogging. Ideal for autoscrubbers.	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3M TM Red Buffer Pad 5100 Designed for everyday cleaning scrubbing to remove light soil, s and black heel marks.
Buffing To remove scuffs and black heel marks and enhance floor appearance.	Rotary Low Speed 175–600 RPM		3M™ White Super Polish Pad 4100 Ideal for removing soil and scuff marks with minimal dulling. Also used to polish wood floors.	Transfer of the state of the st	3M™ Red Buffer Pad 5100 Designed for everyday cleaning and light scrubbing to remove light soil, scuff marks and black heel marks.		
Burnishing To remove scuffs and marks, repair finish and improve gloss and image clarity.	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above		3M TM Eraser Burnish Pad 3600 Removes black marks and returns gloss in fewer passes than other pads while producing less dust. Ideal for harder finishes and high traffic areas. Excellent durability and minimal finish removal.		3M" Natural Blend Tan Pad 3500 Blend of natural and synthetic fibers. Ideal for harder finishes and high traffic conditions. Removes marks and scuffs while polishing.		3M TM Tan Burnish Pad 340 Produces good gloss improvemer removing scuffs and marks. Excedurability and life. Ideal for hard and high traffic conditions.
Best Gloss	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above	(C)	3M TM TopLine Speed Burnish Pad 3200 Optimizes UHS burnishing on a wide variety of finishes. Combines black mark removal and gloss generation in one pad.		3M" Natural Blend White Pad 3300 Blend of natural and synthetic fibers. Excellent results on a wide variety of finishes and traffic conditions. Consistent high gloss with minimal swirl marks.	as and a second	Green Seal The Green Seal Environmental Innovation products that significantly reduce environmental formula innovation.
Soft Finish	Electric, Battery, Propane Ultra High Speed 1500 RPM & Above	Transfer of the state of the st	3M TM Sky Blue Hi-Performance Burnish Pad 3050 Restores gloss to dull floors. Designed for frequent burnishing with less dust, point buildup and burning.		3M" Aqua Burnish Pad 3100 Good gloss improvement with exceptional durability and life. The soft finish problem solver.		Green Seal® for Environmental Innovation for significantly improved performance, extending the useful life of the floor pad in waste generation. *3M"* and Scotch-Brite™ Brand Floor Pad familie 5300, 3050, SPP Plus, SPP, Purple Diamond, and Niagara™ Brand floor pad families include: 7400l Deep Scrubbing Pad
Stone Floor Conditioning To clean and condition worn and dull stone floors.	Rotary, Automatic, Electric, Battery or Propane Low to Ultra High Speed 175–1500 RPM & Above		Scotch-Brite [™] Sienna Diamond Floor Pad Plus Diamond-coated floor pads clean and condition worn and dull marble, terrazzo, slate and polished concrete, bringing it to a medium gloss.	Product Selection the use and perfor the product and de hazard assessment select, and use a 3 sickness, death, an Warranty, Limitec packaging or prode, 3M product specifi	Product Selection and Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, sielect, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property. Warranty, Limited Remedy, and Disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS	control can affect ble for evaluating sting a workplace rroperly evaluate, ay result in injury, able 3M product its the applicable TONS, EXPRESS	Greener Solutions Greener Solutions is a 3M program for 3h that are made with at least 50% post-cor materials and water-based latex resins. P 100% recyclable and made with 50–100? The polyester fiber used to make a range of floor imum of 50% post-consumer recycle content. I fiber used is third-party certified for post-consum.
Stone Floor Polishing To clean and polish stone floors with medium shine in good condition.	Rotary, Automatic, Electric, Battery or Propane Low to Ultra High Speed 175–1500 RPM & Above		Scotch-Brite" Purple Diamond Floor Pad Plus Diamond-coated floor pads further enhance the appearance of terrazzo, slate and polished concrete.	OR IMPLIED, INC FITNESS FOR A P If a 3M product or reft 3M product or reft Limitation of Liak be liaber or any It consequential (incl asserted, including	OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be a consequential (including, but not limited for limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.		*3M" Brand Floor Pad families include: 3200, 33 5000, 5100, 5100, Sienna and Purple Diamond Pad. Niagara" Brand Floor Pad families include: 3300 3700N, 5100N, 5400N and 7200N. © 3M 2019. All rights reserved. 3M and Scotch-Brite are Used under license in Canada. Please recycle. 78-8134-0533-3 (Rev. 10/2019)

ad 7100 for uneven rrubbing for



5300 sors.

100 nning and light oil, scuff marks

400

vement while Exceptional narder finishes

ovation program recognizes environmental impact Floor Pads* are certified by iovation based on a design ance, durability, or both, or pad and reducing solid families include: 7300, 7200, nd, and Clean & Shine : 7400N, 7200N, 5300N, and

for 3M" Floor Pads' st-consumer recycled sins. Plus, our packaging is i–100% recycled content.

of floor pads* contains a min-tent. The recycled polyester consumer recycled content. 00, 3300, 3400, 3500, 3600, Pad. 3300N, 3400N, 3500N,

te are trademarks of 3M.